

BudMax 2-0-5

Guaranteed Analysis:

Total Nitrogen (N)	2%
Soluble Potash (K ₂ O)	5%
Boron (B)	0.5 %
Cobalt (Co)	0.05%
0.05% Chelated Cobalt	
Manganese (Mn)	1.0 %
1.0% Chelated Manganese	
Molybdenum (Mo)	0.05 %
Zinc (Zn)	2.0 %
2.0 % Chelated Zinc	

A True Solution with Seaweed and Micronutrients with PAC* Chelation Technology

Derived from urea, potassium carbonate, boric acid and seaweed extract. Cobalt chloride, manganese sulphate, sodium molybdate, and zinc oxide chelated with PolyAldoCarbosate

For use as a fertilizer in foliar and fertigation applications to stimulate root growth and supplement nutrient levels on agricultural crops.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.aapfco.org/metals.htm>

Directions for Use (Use only as Directed):

- Avoid foliar application in poor drying conditions such as very high humidity, heavy dew set or continually rainy weather.
- Do not foliar apply when ambient temperatures are expected to exceed 85°F before application completely dries on foliage.
- Aerial application – minimum of 5 gallons of water/acre; Dilute sprays – minimum of 30 gallons of water/acre.
- Exercise caution when applying to any crop during bloom, as many factors can affect fruit set and final fruit quality.
- Consultant's Choice is compatible with most agricultural chemicals and nutrients. Should be applied in conjunction with tissue and/or soil analysis.
- **Consult a NutriAg representative for application timing and necessity of its use.**

Suggested Application Rates:

Crop	Foliar Rates*
Trees and vines	1 quart/acre/application Apply at 10 day intervals before/during flowering through to early fruit development Maximum 3 applications/season

*Application rates vary according to specific crop requirements, management objectives, soil nutrient availability and/or environmental conditions. Lower rates are recommended for general crop maintenance or when applying multiple times per season; higher rates are recommended when applying a minimum number of applications to crops that require repeat applications, or where more severe deficiency is present. Higher volumes of water should be used for higher rates of fertilizer. For application timing charts, please consult a product manual. Consult your NutriAg representative for specific crop recommendations.

Warranty Statement: Sellers guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on this condition. NutriAg warrants that the product conforms to the chemical description on the label and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product such as weather conditions, presence of other materials or the manner of use or application, all of which are beyond the control of NutriAg. NutriAg will not be liable for consequential, special or indirect damages resulting from the use of or handling of this product. All such risks shall be assumed by the buyer.

CAUTION: The use of the fertilizing material on any crops other than those recommended may result in serious injury to the crops.

CAUTION: The application of fertilizing materials containing molybdenum (Mo) may result in forage crops containing levels of molybdenum (Mo) which are toxic to ruminant animals.

Caution: KEEP OUT OF REACH OF CHILDREN.



Danger

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing genetic defects. May cause cancer. May damage fertility of the unborn child. Contains 10-11% of ingredients with unknown toxicity (oral). Contains 18-22% of ingredients with unknown toxicity (dermal). Contains 23-29% of ingredients with unknown toxicity (inhalation).

Do not handle until all safety precautions have been read and understood. Avoid breathing mist, spray. Wash hands and skin thoroughly after handling. Contaminated work clothing must not be allowed out of workplace. Wear protective gloves/protective clothing/eye protection/face protection. In case of inadequate ventilation wear respiratory protection (NIOSH approved air-purifying respirator with an organic vapour cartridge).

IF ON SKIN: Wash with plenty of water. IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Specific treatment (see supplemental first aid instructions on this label). If experiencing respiratory symptoms: Call a POISON CENTER/doctor. Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local, regional, national and international regulations.

Net Contents:

2x2.5 Gal. (2x9.46 L)

Net Weight:

50.40 lbs. (22.86 kg)

Net Weight/Gallon:

10.08 lbs. (4.57 kg)

Batch No.: XXXXXX