KP Plus 1-50-33

Guaranteed Analysis: Total Nitrogen 1% 1% Urea Nitrogen Available Phosphoric Acid (P₂O₅) 50% Soluble Potash (K₂O) 33% Derived from urea and potassium phosphate

A Soluble NPK Powder

For use as a fertilizer in foliar, fertigation applications to supplement NPK levels and to activate plant metabolism in agricultural crops. Information regarding the contents and levels of metals in this product is

available on the internet at http://www.aapfco.org/metals.htm

Directions for Use (Use only as Directed):

- Avoid foliar application in poor drying conditions such as very high humidity, heavy dew set or continually rainy weather.
- Do not foliar apply when ambient temperatures are expected to exceed 85°F before application completely dries on foliage.
- Aerial application and ground sprays minimum of 5 gallons of water/acre; Dilute sprays – minimum of 30 gallons of water/acre.
- Exercise caution when applying to any crop during bloom, as many factors can affect fruit set and final fruit quality.
- KP Plus is compatible with most agricultural chemicals and nutrients. Should be applied in conjunction with tissue and/or soil analysis.

Consult a NutriAg representative for application timing and necessity of its use.

Suggested Application Rates:

Suggested Application Rates:		
Сгор	Foliar Rates*	Fertigation Rates*
Forage Crops: Alfalfa, Clover, Hay Crops		The number and
Field Crops: Cereals, Corn, Cotton, Sorghum, Sugar		frequency of
cane		applications
Legumes: Dry bean, Lentil, Peanut, Pea, Soybean		determine application
Root Vegetables (including, but not limited to):	1-3	rates.
Beet, Carrot, Garlic, Parsnip, Radish, Rutabaga,	lbs/acre/application	
Sugar Beet, Sweet Potato, Turnip		Apply 1 – 4
Leafy Vegetables (including but not limited to): Bok Choy, Celery,	For best results, a minimum of 2	lbs/acre/application.
Chard, Cilantro, Cole Crops, Lettuce, Parsley,	applications is	Always apply toward
Spinach	recommended.	the end of an
Other Vegetables: Artichoke, Asparagus, Cucurbits,		irrigation cycle.
Eggplant, Okra, Onions (bunching, bulbing), Peppers,		
Rhubarb, Snap bean, Sweet Corn,		
Tomato		
Berry Crops: Blueberry, Caneberry, Cranberry,		
Elderberry, Gooseberry, Strawberry		
Tree Fruit (including but not limited to): Apple,		
Apricot, Avocado,		
Cherry, Nectarine, Olive, Peach, Pear, Persimmon,		
Plum, Pomegranate, Prune, Quince		
Other Fruit: Citrus (all), Fig, Kiwi, Melons		
Nut Trees (including but not limited to): Almond,		
Filbert, Hazelnut, Pecan, Pistachio, Walnut		
Grapes: Currant, Raisin, Table, Wine		
Other Crops: Herbs, Hops, Mint, Potato, Safflower,		
Spearmint, Stevia, Sunflower		



Danger

Causes serious eye damage. Contains 98-99% of an ingredient of unknown toxicity (Inhalation). Contains 0.2-0.3% of an ingredient of unknown toxicity (Dermal).

Wear eye protection/face protection.

If IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor

Dispose of contents/container in accordance with local, regional, national and international regulations.

*Application rates vary according to specific crop requirements, management objectives, soil nutrient availability and/or environmental conditions. Lower rates are recommended for general crop maintenance or when applying multiple times per season; higher rates are recommended when applying a minimum number of applications to crops that require repeat applications, or where more severe deficiency is present. Higher volumes of water should be used for higher rates of fertilizer. For application timing charts, please consult a product manual. Consult your NutriAg representative for specific crop recommendations.

Warranty Statement: Sellers guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on this condition. NutriAg warrants that the product conforms to the chemical description on the label and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product such as weather conditions, presence of other materials or the manner of use or application, all of which are beyond the control of NutriAg. NutriAg will not be liable for consequential, special or indirect damages resulting from the use of or handling of this product. All such risks shall be assumed by the buyer.

Net Weight: 50 lbs. (22.72 kg) Batch No.: XXXX