## TruPhos Magnesium 0-29-5

Guaranteed Analysis:

Available Phosphoric Acid ( $P_2O_5$ ) 29% Soluble Potash ( $K_2O$ ) 5% Magnesium (Mg) 4% An Orthophosphate True solution to Promote Photosynthesis and Sugar Synthesis

Derived from orthophosphate, potassium carbonate, and magnesium oxide.

For use as a fertilizer in foliar and fertigation applications to supplement phosphorus, potassium and magnesium levels on agricultural crops.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.htm

## Directions for Use (Use only as Directed):

- Avoid foliar application in poor drying conditions such as very high humidity, heavy dew set or continually rainy weather.
- Do not foliar apply when ambient temperatures are expected to exceed 85°F before application completely dries on foliage.
- Aerial application and ground sprays minimum of 5 gallons of water/acre; Dilute sprays minimum of 30 gallons of water/acre.
- Exercise caution when applying to any crop during bloom, as many factors can affect fruit set and final fruit quality.
- TruPhos Magnesium is compatible with most agricultural chemicals and nutrients. Should be applied in conjunction with tissue and/or soil analysis.
- Consult a NutriAg representative for application timing and necessity of its use.

**Suggested Application Rates:** 

Crop	Foliar Rates*	Fertigation Rates*
Forage Crops: Alfalfa, Clover, Hay Crops	i Oliai Nates	i erugation Kates
Field Crops: Cereals, Corn, Cotton, Sorghum,		
Sugar cane		The number and
Legumes: Dry bean, Lentil, Peanut, Pea, Soybean		frequency of
Root Vegetables (including, but not limited to):		applications
Beet, Carrot, Garlic, Parsnip, Radish, Rutabaga,		determine
Sugar Beet, Sweet Potato, Turnip		application rates.
Leafy Vegetables (including but not limited to):		
Bok Choy, Celery,	1 /	Apply no more than
Chard, Cilantro, Cole Crops, Lettuce, Parsley,	1-4	2 gallons/acre/
Spinach	quarts/acre/	application.
Other Vegetables: Artichoke, Asparagus,	application	
Cucurbits, Eggplant, Okra, Onions (bunching,		Apply no more than
bulbing), Peppers, Rhubarb, Snap bean, Sweet		8 gallons/season
Corn,		
Tomato		Always apply
Berry Crops: Blueberry, Caneberry, Cranberry,		toward the end of
Elderberry, Gooseberry, Strawberry  Tree Fruit (including but not limited to): Apple,		an irrigation cycle.
Apricot, Avocado,		
Cherry, Nectarine, Olive, Peach, Pear, Persimmon,		
Plum, Pomegranate, Prune, Quince		
Other Fruit: Citrus (all), Fig, Kiwi, Melons		
Nut Trees (including but not limited to): Almond,		
Filbert, Hazelnut, Pecan, Pistachio, Walnut		
Grapes: Currant, Raisin, Table, Wine		
Other Crops: Herbs, Hops, Mint, Potato, Safflower,		
Spearmint, Stevia, Sunflower		

\*Application rates vary according to specific crop requirements, management objectives, soil nutrient availability and/or environmental conditions. Lower rates are recommended for general crop maintenance or when applying multiple times per season; higher rates are recommended when applying a minimum number of applications to crops that require repeat applications, or where more severe deficiency is present. Higher volumes of water should be used for higher rates of fertilizer. For application timing charts, please consult a product manual. Consult your NutriAg representative for specific crop recommendations.

Warranty Statement: Sellers guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on this condition. NutriAg warrants that the product conforms to the chemical description on the label and is reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product such as weather conditions, presence of other materials or the manner of use or application, all of which are beyond the control of NutriAg. NutriAg will not be liable for consequential, special or indirect damages resulting from the use of or handling of this product. All such risks shall be assumed by the buyer.



## Warning

Causes serious eye irritation. Contains 1.5-2.0% of an ingredient of unknown toxicity (inhalation)

Wash hands and skin thoroughly after handling. Wear eye protection/face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local, regional, national and international regulations.

**Net Contents:** 2.5 Gal. (9.46 L)

Net Weight: 30.55 lbs. (13.89 kg)

Net Weight/Gallon: 12.22 lbs. (5.55 kg)

Batch No.: XXXXXX

Caution: KEEP OUT OF REACH OF CHILDREN